

PH0693065

UNITED STATES DEPARTMENT OF THE INTERIOR
NATIONAL PARK SERVICE

FOR NPS USE ONLY	
RECEIVED	DEC 6 1978
DATE ENTERED	DEC 29 1978

**NATIONAL REGISTER OF HISTORIC PLACES
INVENTORY -- NOMINATION FORM**

SEE INSTRUCTIONS IN *HOW TO COMPLETE NATIONAL REGISTER FORMS*
TYPE ALL ENTRIES -- COMPLETE APPLICABLE SECTIONS

1 NAME

HISTORIC Beaver Island Light Station

AND/OR COMMON Beaver Head Lighthouse and Signal Station

2 LOCATION

STREET & NUMBER *S of St. James on E. Side Dr.*
East Side Drive

CITY, TOWN *St. James, Beaver Island* VICINITY OF

STATE Michigan 49782 CODE

COUNTY Charlevoix CODE 11

CONGRESSIONAL DISTRICT 11

3 CLASSIFICATION

CATEGORY	OWNERSHIP	STATUS	PRESENT USE
<input type="checkbox"/> DISTRICT	<input checked="" type="checkbox"/> PUBLIC	<input type="checkbox"/> OCCUPIED	<input type="checkbox"/> AGRICULTURE <input type="checkbox"/> MUSEUM
<input checked="" type="checkbox"/> BUILDING(S)	<input type="checkbox"/> PRIVATE	<input type="checkbox"/> UNOCCUPIED	<input type="checkbox"/> COMMERCIAL <input type="checkbox"/> PARK
<input checked="" type="checkbox"/> STRUCTURE	<input type="checkbox"/> BOTH	<input checked="" type="checkbox"/> WORK IN PROGRESS	<input checked="" type="checkbox"/> EDUCATIONAL <input type="checkbox"/> PRIVATE RESIDENCE
<input checked="" type="checkbox"/> SITE	PUBLIC ACQUISITION	ACCESSIBLE	<input type="checkbox"/> ENTERTAINMENT <input type="checkbox"/> RELIGIOUS
<input type="checkbox"/> OBJECT	<input type="checkbox"/> IN PROCESS	<input type="checkbox"/> YES: RESTRICTED	<input type="checkbox"/> GOVERNMENT <input type="checkbox"/> SCIENTIFIC
	<input type="checkbox"/> BEING CONSIDERED	<input checked="" type="checkbox"/> YES: UNRESTRICTED	<input type="checkbox"/> INDUSTRIAL <input type="checkbox"/> TRANSPORTATION
		<input type="checkbox"/> NO	<input type="checkbox"/> MILITARY <input type="checkbox"/> OTHER:

4 OWNER OF PROPERTY

NAME Charlevoix Public Schools

STREET & NUMBER 208 Clinton Street

CITY, TOWN Charlevoix VICINITY OF STATE Michigan 49720

5 LOCATION OF LEGAL DESCRIPTION

COURTHOUSE, REGISTRY OF DEEDS, ETC. Register of Deeds

STREET & NUMBER County Building

CITY, TOWN Charlevoix STATE Michigan 49720

6 REPRESENTATION IN EXISTING SURVEYS

TITLE Comprehensive Statewide Survey

DATE

DEPOSITORY FOR SURVEY RECORDS Michigan History Division

CITY, TOWN Lansing STATE Michigan

FEDERAL STATE COUNTY LOCAL

7 DESCRIPTION

CONDITION

EXCELLENT
 GOOD
 FAIR

DETERIORATED
 RUINS
 UNEXPOSED

CHECK ONE

UNALTERED
 ALTERED

CHECK ONE

ORIGINAL SITE
 MOVED DATE _____

DESCRIBE THE PRESENT AND ORIGINAL (IF KNOWN) PHYSICAL APPEARANCE

Beaver Island Light Station is situated on the southern shore of Beaver Island, northern Lake Michigan, between Nicksau's Point on the west and Appleby's Point on the east.

The lighthouse tower measures 103 feet above low water and 46 feet above ground level. The tower is cylindrical and constructed from yellow brick. A ten sided steel and glass room caps the tower. Connected to the tower is the keeper's dwelling. This two story, yellow brick building is rectangular in plan and measures 26 feet by 30 feet. A two story, frame addition, 20 feet by 31 feet, was constructed around 1915. A screened porch, 7 feet by 31 feet in size, was added to the east side of the addition around 1920.

The interior of the dwelling was designed as three separate apartments for the keeper, the first assistant, and the second assistant. The basic interior structure is in unusually good condition. The foundation is sound, the columns and beams which are exposed in the basement are faultless, the Michigan maple floors are sound and secure, and the roof is in excellent condition.

In addition to the main structure, four support buildings are located on the site. A single story framed garage, 16 feet by 20 feet in plan, with wood floor and storage attic is situated near the county road. To the southwest of the tower is a red brick storage shed, approximately 8 feet by 8 feet. The shed door and jam is constructed of steel. This structure was used originally to store whale oil for the signal light. Approximately 200 yards west of the tower is a one story maintenance building, 22 feet by 40 feet in plan, with exterior walls and roof of corrugated steel. The red brick fog signal house, 22 feet by 40 feet, was built in 1915. The roof is of asbestos shingles with copper flashing and eaves gutters. Cut stone coping trims the exterior masonry work. An interior workbench running the length of the south wall is constructed with 2 3/4 inch hard maple top.

8 SIGNIFICANCE

PERIOD	AREAS OF SIGNIFICANCE -- CHECK AND JUSTIFY BELOW				
<input type="checkbox"/> PREHISTORIC	<input type="checkbox"/> ARCHEOLOGY-PREHISTORIC	<input type="checkbox"/> COMMUNITY PLANNING	<input type="checkbox"/> LANDSCAPE ARCHITECTURE	<input type="checkbox"/> RELIGION	
<input type="checkbox"/> 1400-1499	<input type="checkbox"/> ARCHEOLOGY-HISTORIC	<input type="checkbox"/> CONSERVATION	<input type="checkbox"/> LAW	<input type="checkbox"/> SCIENCE	
<input type="checkbox"/> 1500-1599	<input type="checkbox"/> AGRICULTURE	<input type="checkbox"/> ECONOMICS	<input type="checkbox"/> LITERATURE	<input type="checkbox"/> SCULPTURE	
<input type="checkbox"/> 1600-1699	<input type="checkbox"/> ARCHITECTURE	<input type="checkbox"/> EDUCATION	<input type="checkbox"/> MILITARY	<input type="checkbox"/> SOCIAL/HUMANITARIAN	
<input type="checkbox"/> 1700-1799	<input type="checkbox"/> ART	<input type="checkbox"/> ENGINEERING	<input type="checkbox"/> MUSIC	<input type="checkbox"/> THEATER	
<input checked="" type="checkbox"/> 1800-1899	<input type="checkbox"/> COMMERCE	<input type="checkbox"/> EXPLORATION/SETTLEMENT	<input type="checkbox"/> PHILOSOPHY	<input checked="" type="checkbox"/> TRANSPORTATION	
<input type="checkbox"/> 1900-	<input type="checkbox"/> COMMUNICATIONS	<input type="checkbox"/> INDUSTRY	<input type="checkbox"/> POLITICS/GOVERNMENT	<input type="checkbox"/> OTHER (SPECIFY)	
		<input type="checkbox"/> INVENTION			

SPECIFIC DATES 1851

BUILDER/ARCHITECT John McReynolds

STATEMENT OF SIGNIFICANCE

The Beaver Island Light Station was built in 1851. It is probably the third oldest lighthouse on the Great Lakes. Its construction and initial operation took place during an era of turmoil on Beaver Island. On July 8, 1850 James Jesse Strang, a Mormon follower of Joseph Smith, was coronated King and claimed Beaver Island as his Kingdom. The Mormons abandoned the island six years later.

The site overlooks a large expanse of Lake Michigan and focuses on the major shipping lanes. Since the eighteenth century maritime traffic has funneled past Beaver Head as it approaches the Straits of Mackinac.

The U.S. Lighthouse Service operated the lighthouse from 1851 until 1938. At this time the U.S. Coast Guard assumed operation until 1962, when the lighthouse was decommissioned and replaced by an automated radiobeacon tower. The illuminant and lenses were removed by the Coast Guard during the decommissioning. It was reported that the French prism light used in the tower was the second oldest in the United States. The light candlepower was 2,500 fixed and a flash candlepower rating of 25,000. The light would remain fixed with a 1.3 second flash every 20 seconds. The light was visible at 18 statute miles.

The Charlevoix Public School District secured the title to the Beaver Island Light Station through a surplus federal property distribution. It uses the site as an outdoor and environmental education center.

9 MAJOR BIBLIOGRAPHICAL REFERENCES

Light List Great Lakes, 9th Coast Guard District, U.S. Gov. Printing Office, March 1, 1953.
 Quitclaim Deed, Register's Office, Charlevoix County, October 21, 1975.
 The Journal of Beaver Island History, Vol. 1, Beaver Island Historical Society,
 Wellman Press, Lansing, Michigan, 1976.
 Blueprints of Beaver Island Light Station, U.S. Coast Guard.
 Contract for Construction, May 12, 1851.

10 GEOGRAPHICAL DATA

ACREAGE OF NOMINATED PROPERTY 64.15

UTM REFERENCES

<u>D</u> A	<u>1,6</u>	<u>61,10,7,5</u>	<u>5,04,80,0,0</u>	A	<u>B</u>	<u>1,6</u>	<u>61,16,7,5</u>	<u>5,04,80,0,0</u>
	ZONE	EASTING	NORTHING			ZONE	EASTING	NORTHING
C	<u>1,6</u>	<u>61,10,7,5</u>	<u>5,04,75,2,5</u>	B	<u>D</u>	<u>1,6</u>	<u>61,16,5,0</u>	<u>5,04,75,2,5</u>
	ZONE	EASTING	NORTHING			ZONE	EASTING	NORTHING

VERBAL BOUNDARY DESCRIPTION

The Beaver Island Light Station site encompasses just over 2,000 feet of Lake Michigan frontage on the southern shore of Beaver Island. Nicksau's Point is located on the western edge of the site. Acreage is composed of lot 3 and part of lot 4, section 20, T37N, R10W, Peaine Township, Beaver Island, Charlevoix County, Michigan.

LIST ALL STATES AND COUNTIES FOR PROPERTIES OVERLAPPING STATE OR COUNTY BOUNDARIES

STATE	CODE	COUNTY	CODE
STATE	CODE	COUNTY	CODE

11 FORM PREPARED BY

NAME / TITLE

Dan Kaczynski, Director Environmental Education

ORGANIZATION

Charlevoix Public Schools

DATE

11/27/78

STREET & NUMBER

208 Clinton Street

TELEPHONE

616 547-4958

CITY OR TOWN

Charlevoix

STATE

Michigan 49720

12 STATE HISTORIC PRESERVATION OFFICER CERTIFICATION

THE EVALUATED SIGNIFICANCE OF THIS PROPERTY WITHIN THE STATE IS:

NATIONAL

STATE

LOCAL

As the designated State Historic Preservation Officer for the National Historic Preservation Act of 1966 (Public Law 89-665), I hereby nominate this property for inclusion in the National Register and certify that it has been evaluated according to the criteria and procedures set forth by the National Park Service.

STATE HISTORIC PRESERVATION OFFICER SIGNATURE

11/27/78

TITLE Director, Michigan History Division and
 State Historic Preservation Officer

DATE

FOR NPS USE ONLY

I HEREBY CERTIFY THAT THIS PROPERTY IS INCLUDED IN THE NATIONAL REGISTER

DIRECTOR, OFFICE OF ARCHEOLOGY AND HISTORIC PRESERVATION

ATTEST: Lucy B. Franklin
 KEEPER OF THE NATIONAL REGISTER

DATE 12/29/78
 KEEPER OF THE NATIONAL REGISTER
 DATE 12-29-78

Property Beaver Island Light Station

State Michigan

Working Number 12.6.78.4710

78001495

TECHNICAL

Photos 7
Maps 1

State given
covered UTM
points 12-29-78 SL

CONTROL
OK pl
12.7.78

No area of significance or boundary justification - Call

HISTORIAN

B. Flanders
12.18.78

Light was in service 110 years, important to Great Lakes shipping.
One of the first three (3) built, & had the second oldest lens originally.

ARCHITECTURAL HISTORIAN

ARCHEOLOGIST

OTHER

HAER

area of significance should be either commerce or transportation - a marginal nomination, but the site obviously possesses local significance
accept

Inventory _____
Review 12/29/78
Wen Jackson

REVIEW UNIT CHIEF

See phone report of 12/18/78: 64.15 acres is land grant, ^{orig. 1816} appropriated for lighthouse sketch map provided

Accept
Franklin
12.29.78

BRANCH CHIEF

KEEPER

National Register Write-up _____

Send-back _____

Entered DEC 29 1978

Federal Register Entry _____

2.6.79

Re-submit _____



1. Beaver Island Light Station

2. St. James Vicinity, Beaver
Island, Charlevoix County,
Michigan

3. Dan Kaczynski

DEC 29 1978

4. October 1978

5. Charlevoix Public Schools

6. east view of garage

7. #1

DEC 6 1978



1. Beaver Island Light Station

2. St. James vicinity, Beaver
Island, Charlevoix County,
Michigan

DEC 29 1978

3. Dan Kaczynski

4. October 1978

DEC 6 1978

5. Charlevoix Public Schools

6. west view of Fog Signal
House

7. #2



1. Beaver Island Light Station

2. St. James vicinity, Beaver
Island, Charlevoix County,
Michigan

DEC 29 1978

3. Dan Kaczynski

4. October 1978

DEC 6 1978

5. Charlevoix Public Schools

6. northeast view of Oil House

7. #3



1. Beaver Island Light Station

2. St. James vicinity, Beaver
Island, Charlevoix County,
Michigan

DEC 29 1978

3. Dan Kaczynski

DEC 6 1978

4. October 1978

5. Charlevoix Public Schools

6. west view of Maintenance
Building

7. #4



1. Beaver Island Light Station
2. St. James vicinity, Beaver Island, Charlevoix County, Michigan
DEC 29 1978
3. Dan Kaczynski
4. Fall 1978
DEC 6 1978
5. Charlevoix Public Schools
6. northeast view of Tower and Dwelling
7. #5



1. Beaver Island Light Station
2. St. James vicinity, Beaver Island, Charlevoix County, Michigan
3. Dan Kaczynski
4. Fall 1978
5. Charlevoix Public Schools
6. southwest view of Dwelling and Tower
7. #6

DEC 29 1978

DEC 6 1978



1. Beaver Island Light Station

2. St. James vicinity, Beaver
Island, Charlevoix County,
Michigan

DEC 29 1978

3. Dan Kaczynski

4. Fall 1978

DEC 6 1978

5. Charlevoix Public Schools

6. south view of Dwelling and
Tower

7. #7



BEAVER ISLAND LIGHT STATION



UTM References :

DA	16/611075/5048000
AB	16/611675/5048000
C	16/611075/5047525
BA	16/611650/5047525

BEAVER ISLAND LIGHT STATION
St. James, Beaver Island
Charlevoix County
Michigan

SOUTH FOX ISLAND
1874 IV

Mapped, edited, and published by the Geological Survey
Control by USGS, USC&GS, and U. S. Lake Survey
Topography from aerial photographs by photogrammetric methods
Aerial photographs taken 1954. Field check 1956
Hydrography compiled from U. S. Lake Survey charts 704 and 706 (1957)
Polyconic projection. 1927 North American datum
10,000-foot grid based on Michigan coordinate system, central zone
1000-metre Universal Transverse Mercator grid ticks,
zone 18 shown in blue
Dashed land lines indicate approximate locations



CONTOUR INTERVAL 10 FEET
NATIONAL GEODETIC VERTICAL DATUM OF 1929
DEPTH CURVES AND SOUNDINGS IN FEET-DATUM IS 578 FEET
THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS
FOR SALE BY U. S. GEOLOGICAL SURVEY, RESTON, VIRGINIA 22092
A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST




ROAD CLASSIFICATION
Medium-duty ——— Light-duty ———
Unimproved dirt - - - - -

BEAVER ISLAND, MICH
N 4530—W 8530/15
1956
AMS 3875 II—SERIES V762



DEC 29 1970

- A - garage
- B - tower, dwelling
- C - shed
- D - maintenance bldg.
- E - fog signal bldg.



to an iron stake on the bank of Lake Michigan; thence along traverse lines N. 74° 17' 30" W. 1,359.31 feet to a nail in the concrete sidewalk; said nail being on the line between Lots 3 and 4; and S. 72° 59' 10" W. 644.38 feet to an iron stake on the bank of Lake Michigan and the end of said traverse lines; thence N. 4° 22' 29" E. 720.00 feet; thence S. 85° 37' 31" E. 900.00 feet to the line between Lots 3 and 4; thence N. 4° 22' 29" E. along said line 1,278.12 feet to the N.W. corner of said Lot 3; thence S. 85° 37' 31" E. along the North line of Lot 3, 1,332.81 feet to the point of beginning containing 70.5 acres or more or less. The Eastern and westerly most N.-S. property lines of the above described parcel extend to the waters edge and the South property line runs along the waters edge of Lake Michigan. EXCEPTING therefrom, a parcel described as commencing at the nail in the above described parcel, said nail previously being described as being S. 43° W. 175 feet more or less from a six inch square granite monument bearing the letter "S" on the south face; thence N. 43° 00' 00" E. 175 feet to said granite monument; thence N. 47° 30' 00" E. 472.92 feet to the center of the VHF tower; thence S. 4° 00' 00" W. 300.00 feet to the point of beginning of the exception to be described, said point being a point of curvature; thence right along an arc having a radius of 300.00 feet and a central angle of 30° 00' 00" 1602.21 feet; thence N. 69° 00' 00" W. 272.39 feet to the point of beginning, containing 6.35 acres more or less, and leaving 64.5 acres more or less in the above described parcel. Also subject to the rights of the public over existing East Shore Road and the following described easement. The Coast Guard shall retain the right of ingress and egress to its property by any convenient route available within the bounds of the southern one-third (1/3) of Lot 3, Section 20, T. 37N.-R. 10W. and in addition shall retain the specific right of ingress and egress by helicopter landing or flying at extremely low altitude and consequently both prohibits construction of any type, and retains the right to enter and remove all vegetation to one (1) foot above grade, on the property described as beginning at the waters edge on the division line between Lot 3 and 4, Sec. 20, T. 37N.-R. 10W.; thence North along said division line 50 feet to the toe of the bluff; thence meandering in an easterly direction along the toe of said bluff to a point bearing S. 16° E., distant 135 feet from the center of the Lighthouse; thence N. 25° E. a distance of 300 feet to the intersection with

RECEIVED
DEC 6 1978
NATIONAL REGISTER

LEGEND

- GRANITE MONUMENT SET
- GRANITE MONUMENT FOUND
- IRON SET
- IRON FOUND
- NAIL SET



Wayne E. Boss RLS No. 20703

MICHIGAN DEPARTMENT OF STATE
RICHARD H. AUSTIN SECRETARY OF STATE



LANSING
MICHIGAN 48918

MICHIGAN HISTORY DIVISION
ADMINISTRATION, ARCHIVES,
HISTORIC SITES, AND PUBLICATIONS
3423 N. Logan Street
517-373-0510
STATE MUSEUM
505 N. Washington Avenue
517-373-0515

November 29, 1978



Dr. William J. Murtagh
Keeper of the National Register
National Register of Historic Places
Heritage Conservation and Recreation Service
Department of the Interior
Washington, D. C. 20240

Dear Dr. Murtagh:

Enclosed for your review is a National Register nomination prepared by the Michigan History Division of the Michigan Department of State:

The Beaver Island Light Station, St. James vicinity,
Beaver Island, Charlevoix County

Since the Charlevoix Public School District, who owns the property, has applied for a challenge grant, may I ask that you review this nomination at your earliest convenience.

Thank you for your consideration of this nomination.

Sincerely yours,

A handwritten signature in black ink, appearing to read "Martha M. Bigelow".

Martha M. Bigelow
Director, Michigan History Division
and
State Historic Preservation Officer

enc.

MMB/KBE/pr

CHARLEVOIX *the Beautiful*

CHARLEVOIX PUBLIC SCHOOLS

CHARLEVOIX, MICHIGAN 49720

Walter Lusk

December 11, 1978

Dr. William J. Murtagh
Keeper of the National Register
National Register of Historic Places
Heritage Conservation and Recreation Service
Dept. of Interior
Washington, D.C. 20240

Attention: Brad Fransden

Dear Dr. Murtagh,

The Charlevoix Public Schools is the owner of the Beaver Island Light Station, which has been nominated to the register of historic places and is aware of the incentives and disincentives of National Registration. The Charlevoix Public Schools hereby waive the customary 30 day commentary period.

Sincerely,



Gordon W. VanWieren
Superintendent

GVW/en

cc Kathy Eckert
Michigan History Division

ADMINISTRATION: Gordon W. VanWieren Superintendent Vincent R. Olach Business Mgr. Vane H. Smith H. S. Principal Roy M. Fortin Asst. H. S. Prin. K. Dale Burge Athletic Dir. Vincent A. Chew Middle Sch. Prin. Ralph W. Raymer Ele. Sch. Prin.

BOARD OF EDUCATION: C. Max Novak President Charles A. Elzinga Vice-President Kenneth J. Boss Secretary Ardeth M. Wieland Treasurer Donald W. Brown Trustee Constance S. Pointner Trustee James J. Haggard Trustee

TELEPHONE REPORT

OFFICE OF ARCHEOLOGY AND HISTORIC PRESERVATION

PROJECT: *Beaver Island Light Station, Mi*

TO/FROM: *KATHY ECKERT* DATE: *12.18.78*

ADDRESS: *Mi SHPO* PHONE:

STAFF MEMBER: *B. Franzen* DIVISION: *N.R.*

REPORT:

64.15
60 acres in size of tract that belong
to Courtland - was transferred to Charlevoix
School system. It is the land grant given for
the light house

This is a Challenge Grant Candidate
should be on by Jan 1.

ENTRIES IN THE NATIONAL REGISTER

STATE MICHIGAN

Date Entered DEC 29 1978

Name

Location

Beaver Island Light Station

St. James vicinity
Charlevoix County

Also Notified

Honorable Donald W. Riegle, Jr.
Honorable Carl Levin
Honorable Robert W. Davis

State Historic Preservation Officer
Dr. Martha Bigelow
Director
Michigan History Division
Department of State
Lansing, Michigan 48918

NR Byers/bjr 1/23/79

For further information, please call the National Register at (202)343-6401.

HAER

Lucy-

Original sketch maps

+ New photos w/out ball point ink
are ~~on~~ on the way to replace
present ones. (map is zero)

Fed. Reg. Pending
will start 12.19.78

CAW List

12.29.78

NATIONAL REGISTER DATA SHEET

① NAME as it appears on federal register: Beaver Island Light Station
 ② OTHER NAMES: Beaver Head Lighthouse and Signal Station
 ③ date of entry: DEC 29 1978
 ④ county code: 29

⑤ LOCATION street & number: S of St. James on E. Side Dr.
 city / town: St. James
 vicinity of: St. James
 state: MI
 county: Charlevoix
 ⑥ NPS REGION: Lake Central

⑦ OWNER PRIVATE STATE MUNICIPAL COUNTY MULTIPLE FEDERAL (agency name)
 ⑧ ADMINISTRATOR:

⑨ EXISTING SURVEYS HABS HAER NHL
 ⑩ FUNDED? YES NO
 ⑪ CONGRESS. DISTRICT: 11
 ⑫ SOURCE of NOMINATION STATE FEDERAL
 if state who prepared form?

⑬ WITHIN NATIONAL REGISTER HISTORIC DISTRICT? YES, NAME NO
 ⑭ WITHIN NATIONAL HISTORIC LANDMARK? YES, NAME NO
 ⑮ ACREAGE
 LOCAL PRIVATE ORGANIZATION

⑯ CONDITION deteriorated altered original site
 excellent ruins unaltered moved
 good unexposed reconstructed unknown
 fair unexcavated excavated
 ⑰ features: INTERIOR SUBSTANTIALLY INTACT-1 NOT INTACT-0 UNKNOWN-4 NOT APPLICABLE-7
 EXTERIOR SUBSTANTIALLY INTACT-2 NOT INTACT-0 UNKNOWN-5 NOT APPLICABLE-8
 ENVIRONS SUBSTANTIALLY INTACT-3 NOT INTACT-0 UNKNOWN-6 NOT APPLICABLE-9

⑱ ACCESS YES-Restricted YES-Unrestricted No Access Unknown
 ⑲ ADAPTIVE USE YES NO
 ⑳ SAVED? YES
 ㉑ IS PROPERTY A HISTORIC DISTRICT? yes no

㉒ AREAS OF SIGNIFICANCE:
 ARCHEOLOGY-prehistoric-2 COMMERCE-6 ENGINEERING-11 LANDSCAPE ARCH.-15 POLITICS/GOVT.-21 RECREATION-28
 ARCHEOLOGY-historic-1 COMMUNICATIONS-7 ENTERTAINMENT-26 LAW-16 RELIGION-22 SETTLEMENT-29
 AGRICULTURE-3 CONSERVATION-8 EXPLORATION-12 LITERATURE-17 SCIENCE-23 URBAN PLANNING-31
 ARCHITECTURE-4 ECONOMICS-9 HEALTH-27 MILITARY-18 SOCIAL/HUMANITARIAN-24 OTHER (SPECIFY)
 ART-5 EDUCATION-10 INDUSTRY-13 MUSIC-19 SOCIAL/CULTURAL-30
 INVENTION-14 PHILOSOPHY-20 TRANSPORTATION-25
 ㉓ CLAIMS: explain
 'first'
 'oldest'
 'only'

㉔ functions WHEN HISTORICALLY SIGNIFICANT: CURRENTLY:
 ㉕ dates of initial construction: major alterations: historic events:
 ㉖ ETHNIC GROUP ASSOCIATION

㉗ architectural style(s):
 ㉘ architect:
 ㉙ master builder:
 ㉚ engineer:

㉛ landscape architect / garden designer:
 ㉜ interior decorator:
 ㉝ artist:
 ㉞ artisan:
 ㉟ builder/contractor:

㊱ NAMES give role & date
 PERSONAL:
 EVENTS:
 INSTITUTIONAL:

㊲ NATIONAL REGISTER WRITE-UP

reviewers initials: _____ date: _____
 IF ADDITIONAL SPACE NEEDED NUMBER & PUT ON REVERSE