

**NATIONAL REGISTER OF HISTORIC PLACES  
INVENTORY - NOMINATION FORM**

(Type all entries - complete applicable sections)

STATE: Michigan	
COUNTY: Washtenaw	
FOR NPS USE ONLY	
ENTRY NUMBER	DATE
	JAN 13 1972

**1. NAME**

COMMON: Ann Arbor Central Fire Station

AND/OR HISTORIC: Firemen's Hall

**2. LOCATION**

STREET AND NUMBER: Corner of Fifth Avenue and Huron Street

CITY OR TOWN: Ann Arbor

STATE: Michigan      CODE: 26      COUNTY: Washtenaw      CODE: 161

**3. CLASSIFICATION**

CATEGORY (Check One)	OWNERSHIP	STATUS	ACCESSIBLE TO THE PUBLIC
<input type="checkbox"/> District <input checked="" type="checkbox"/> Building <input type="checkbox"/> Site <input type="checkbox"/> Structure <input type="checkbox"/> Object	<input checked="" type="checkbox"/> Public <input type="checkbox"/> Private <input type="checkbox"/> Both	Public Acquisition: <input type="checkbox"/> In Process <input type="checkbox"/> Being Considered	<input checked="" type="checkbox"/> Occupied <input type="checkbox"/> Unoccupied <input type="checkbox"/> Preservation work in progress
PRESENT USE (Check One or More as Appropriate)			
<input type="checkbox"/> Agricultural <input type="checkbox"/> Commercial <input type="checkbox"/> Educational <input type="checkbox"/> Entertainment	<input type="checkbox"/> Government <input type="checkbox"/> Industrial <input type="checkbox"/> Military <input type="checkbox"/> Museum	<input type="checkbox"/> Park <input type="checkbox"/> Private Residence <input type="checkbox"/> Religious <input type="checkbox"/> Scientific	<input type="checkbox"/> Transportation <input checked="" type="checkbox"/> Other (Specify) <u>municipal fire protection</u>

**4. OWNER OF PROPERTY**

OWNER'S NAME: City of Ann Arbor

STREET AND NUMBER: City Hall, Huron Street

CITY OR TOWN: Ann Arbor      STATE: Michigan      CODE: 26

**5. LOCATION OF LEGAL DESCRIPTION**

COURTHOUSE, REGISTRY OF DEEDS, ETC.: Washtenaw County Building

STREET AND NUMBER: Huron Street

CITY OR TOWN: Ann Arbor      STATE: Michigan      CODE: 26

**6. REPRESENTATION IN EXISTING SURVEYS**

TITLE OF SURVEY: Michigan Historical Commission Registered Local Site Number 106


DATE OF SURVEY: April 23, 1971     Federal     State     County     Local

DEPOSITORY FOR SURVEY RECORDS: Michigan Historical Commission

STREET AND NUMBER: 3405 N. Logan

CITY OR TOWN: Lansing      STATE: Michigan      CODE: 26

SEE INSTRUCTIONS



STATE: Michigan

COUNTY: Washtenaw

ENTRY NUMBER: JAN 13 1972

DATE: JAN 13 1972

FOR NPS USE ONLY

**7. DESCRIPTION**

CONDITION	(Check One)					
	<input type="checkbox"/> Excellent	<input checked="" type="checkbox"/> Good	<input type="checkbox"/> Fair	<input type="checkbox"/> Deteriorated	<input type="checkbox"/> Ruins	<input type="checkbox"/> Unexposed
	(Check One)			(Check One)		
	<input type="checkbox"/> Altered	<input checked="" type="checkbox"/> Unaltered		<input type="checkbox"/> Moved	<input checked="" type="checkbox"/> Original Site	

DESCRIBE THE PRESENT AND ORIGINAL (if known) PHYSICAL APPEARANCE

The Ann Arbor firehouse is a modified specimen of the Italianate style. In applying this essentially residential style to a public building, the designers necessarily used heavier, richer lines in certain places, giving the building a vague suggestion of later Renaissance Revival modes. This suggestion is visible particularly in the heavy cornices and elaborate window surrounds.

The truncated hip roof is just steep enough to further suggest the mansard roofs of later popular designs without departing completely from the more typically Tuscan Revival hip roof.

The building has an almost anti-picturesque rectangular plan, broken up only by an extension tower on one corner of the front facade. It is a two story, brick (stretcher bond) building with three large doors for trucks in the front of the first level. The roof has decorated gables in the centers of the two street-side slopes.

AJ  
10)

SEE INSTRUCTIONS

**SIGNIFICANCE**

PERIOD (Check One or More as Appropriate)

- Pre-Columbian |  16th Century |  18th Century |  20th Century  
 15th Century |  17th Century |  19th Century

SPECIFIC DATE(S) (If Applicable and Known)

1883-present

AREAS OF SIGNIFICANCE (Check One or More as Appropriate)

- |   |   |   |  |
|---|---|---|--|
| <input type="checkbox"/> Aboriginal     | <input type="checkbox"/> Education              | <input type="checkbox"/> Political                      | <input type="checkbox"/> Urban Planning  |
| <input type="checkbox"/> Prehistoric    | <input type="checkbox"/> Engineering            | <input type="checkbox"/> Religion/Philosophy            | <input type="checkbox"/> Other (Specify) |
| <input type="checkbox"/> Historic       | <input type="checkbox"/> Industry               | <input type="checkbox"/> Science                        | _____                                    |
| <input type="checkbox"/> Agriculture    | <input type="checkbox"/> Invention              | <input type="checkbox"/> Sculpture                      | _____                                    |
| <input type="checkbox"/> Architecture   | <input type="checkbox"/> Landscape Architecture | <input checked="" type="checkbox"/> Social/Humanitarian | _____                                    |
| <input type="checkbox"/> Art            | <input type="checkbox"/> Literature             | <input type="checkbox"/> Theater                        | _____                                    |
| <input type="checkbox"/> Commerce       | <input type="checkbox"/> Military               | <input type="checkbox"/> Transportation                 | _____                                    |
| <input type="checkbox"/> Communications | <input type="checkbox"/> Music                  |   | _____                                    |
| <input type="checkbox"/> Conservation   |   |   | _____                                    |

STATEMENT OF SIGNIFICANCE

One of the earliest and more elemental approaches to collective fire fighting in Ann Arbor was a municipal fire code which required citizens to respond to the threat of conflagration by shouting "fire!" Later and more sophisticated efforts led to the founding of regular volunteer fire fighting companies. At the sounding of the fire bell, Ann Arborites in shops, mills, churches, and schools dropped their various tasks, dashed into the street, raced for the firehouse, hauled out hose, hooks and ladders, and pumps, and towed the equipment by hand to the site of the threatened building; their efforts were an exhilarating mix of collective response to danger and the good old human thrill of a fire, the clanging bell and roaring flames, men unselfishly pitted together against a common foe.

As the City of Ann Arbor grew, however, the good old human thrill of hauling heavy fire fighting equipment around by hand decreased. More and more frequently, the men seen huffing and puffing along Huron Street with a pumper in tow were actually University of Michigan students rather than year-round Ann Arbor residents. By 1880, the all-volunteer system had entered its last decade in Ann Arbor.

One of the first signs that Ann Arbor was starting to take a graver and more efficient look at the business of fighting fires was the construction of a large, permanent firehouse capable of housing a considerable amount of fire fighting equipment at the corner of Huron Street and Fifth Avenue.

In May, 1882, the aldermen of Ann Arbor agreed to receive plans for a municipal firehouse. They were firm in insisting that they wanted a utilitarian structure, fireproof (of course), and inexpensive. They fixed \$10,000 as the maximum amount they would spend.

The first floor was to contain space for a steamer, hand engine, hook and ladder truck, stables, coal bins, kitchen, and dining room, and the second level was to include bedrooms, an office, a meeting room, and a hayloft.

Clearly, the day had passed when a sufficient citizen response to fire consisted of shouting "fire." When the new firehouse was being planned, Ann Arbor's fire fighters were responsible for protection of

SEE INSTRUCTIONS

*exhilarating*

**9. MAJOR BIBLIOGRAPHICAL REFERENCES**

The Ann Arbor Courier, August 11, 1882 through January 5, 1883.  
 Polk, R.L. Michigan State Gazetteer, 1883. Detroit: R.L. Polk & Co., 1883.  
 Polk, R.L. Michigan State Gazetteer, 1917-1918. Detroit: R.L. Polk & Co., 1917.  
 Marzolf, Kingsbury, and Stevens, Wytan. Ann Arbor's Historic Firehouse.  
 Ann Arbor: Ann Arbor Historical Commission, n.d.  
 Beakes, Samuel. Past and Present of Washtenaw County, Michigan. Chicago: S.J. Clarke Publishing Co., 1906.  
 Chapman, Charles. History of Washtenaw County. Chicago: Charles Chapman & Co., 1881.


**10. GEOGRAPHICAL DATA**

LATITUDE AND LONGITUDE COORDINATES DEFINING A RECTANGLE LOCATING THE PROPERTY			OR	LATITUDE AND LONGITUDE COORDINATES DEFINING THE CENTER POINT OF A PROPERTY OF LESS THAN TEN ACRES		
CORNER	LATITUDE	LONGITUDE		LATITUDE	LONGITUDE	
	Degrees Minutes Seconds	Degrees Minutes Seconds		Degrees	Minutes	Seconds
NW	° ' "	° ' "		42°	16'	54"
NE	° ' "	° ' "		83°	44'	47"
SE	° ' "	° ' "				
SW	° ' "	° ' "				

APPROXIMATE ACREAGE OF NOMINATED PROPERTY: less than one acre

LIST ALL STATES AND COUNTIES FOR PROPERTIES OVERLAPPING STATE OR COUNTY BOUNDARIES

STATE:	CODE	COUNTY:	CODE



**11. FORM PREPARED BY**

NAME AND TITLE: Jim Schutze, Assistant Historian

ORGANIZATION: Michigan Historical Commission DATE: 4/28/71

STREET AND NUMBER: 3405 North Logan

CITY OR TOWN: Lansing STATE: Michigan CODE: 26

**12. STATE LIAISON OFFICER CERTIFICATION**

As the designated State Liaison Officer for the National Historic Preservation Act of 1966 (Public Law 89-665), I hereby nominate this property for inclusion in the National Register and certify that it has been evaluated according to the criteria and procedures set forth by the National Park Service. The recommended level of significance of this nomination is:

National  State  Local

Name: R. A. MacMullen  
 Title: Director Dept. of Natural Resources  
 Date: 6/9/71

**NATIONAL REGISTER VERIFICATION**

I hereby certify that this property is included in the National Register.

Ernest A. Connolly  
 Chief, Office of Archeology and Historic Preservation

Date: JAN 13 1972

ATTEST:  
William M. Stogdole  
 Keeper of The National Register  
 Date: DEC 9 1971

17/274530/4684470  
 JIM R. F. W. W.  
 4-14-71  
 SEE INSTRUCTIONS

NATIONAL REGISTER OF HISTORIC PLACES  
INVENTORY - NOMINATION FORM

(Continuation Sheet)

STATE	Michigan	
COUNTY	Washtenaw	
FOR NPS USE ONLY		
ENTRY NUMBER	DATE	
	JAN 13	1972

(Number all entries)

#8<sup>2</sup> Statement of Significance

a growing university, a burgeoning public school system, several factories, six newspapers, mills, tanneries, breweries, jewelry stores, blacksmith shops, a magnificent new courthouse, library, and museum, and, of course, a patent whiffletree company. More crucially, the fire fighters were charged with the protection of 10,000 human beings.

A new firehouse at \$10,000, one dollar per being, would make a good buy, if the aldermen could indeed hold the price at that modest level. A plan was accepted, and work on the new structure started immediately. The contractor hoped to have the new firehouse walled in before the snow started to fly.

In the meantime, the city maintained its all-volunteer force (the five dollars annual salary paid to each fire fighter wasn't a real threat to the fire fighter's amateur status). The force was bolstered, however, with the purchase of a team of horses to tow the 3,000 pound hook and ladder truck. To compensate for this new expense, the city fathers thriftily arranged to have the horses plough nearby fields and grade dirt streets between fires.

When the fire bell clanged, the firemen weren't the only ones who raced for the firehouse: coming around the corner the other way were the sweat-slicked horses, who were probably as happy to escape their road-work tasks as the firemen were to leave their mills and tanneries.

The butcher, the baker, the whiffletree maker: they were all brothers in the cause when disaster rang in the firehouse tower. The bond of fraternity forged in those hours of supreme effort carried over into the quiet hours when the fire had been doused, the horses groomed, the trucks preened and polished, when, in that less busy era, a man could escape his job for a while to relax with friends and commune with the world.

"The hook and ladder boys have the custom of taking an annual excursion out to Whitmore Lake," the Ann Arbor Courier reported in the summer of 1882, "so they are going out tonight about 23 strong and will stay several days."

While the hook and ladder boys relaxed together at Whitmore Lake, ground was broken for the new headquarters on Huron Street. An earlier firehouse on the site was knocked down, and an editor sighed, "another old landmark is gone," no doubt with a troubled shake of the head for the city's lack of interest in historic preservation.

The contractor worked hard against the impending winter, and by early November the newspaper was able to report, "work is being rapidly pushed on the Firemen's Hall. The windows are in place and almost surrounded by the adjacent walls." In June of the following summer, the new firehouse was completed, with all the appropriate civil and journalistic hoopla and fanfare. The building was an only slightly muddled specimen of the popular Italianate style of architecture, a genuine work of pride for a little city which had only emerged from the woods a half century before.

In 1883, as now, civic pride was a matter of priorities, and the proud new firehouse on Huron Street was not accomplished without some cost to other spheres of public responsibility. In January, 1883, Ann

NATIONAL REGISTER OF HISTORIC PLACES  
INVENTORY - NOMINATION FORM

(Continuation Sheet)

STATE		Michigan
COUNTY		Washtenaw
FOR NPS USE ONLY		
ENTRY NUMBER	DATE	
	JAN 13 1972	

(Number all entries)

#8<sup>3</sup> Statement of Significance

Arborites learned from their newspaper that, "there are ninety inmates of the poor house, and among them at present there is an unusual amount of chronic sickness." Two weeks later, readers were informed that, "the supervisors are waking up to the fact that our jail is in a deplorable condition, and after visiting it yesterday morning they have about come to the conclusion that a new one should be built."

The new firehouse cost the taxpayers of Ann Arbor almost exactly the amount the aldermen had promised it would cost. Ann Arbor was proud of its firehouse as it was proud of having wrought a real and solid city from the forest, proud of having successfully joined hands to protect what every- one had accomplished, more proud of that than of the poor house, and with good reason.

To a substantial degree, the Huron Street firehouse symbolized a larger transition for Ann Arbor, that pivotal moment when the city dedicated itself to growth and traded the old communal spirit of the frontier for the community spirit of the twentieth century.

In 1888, Ann Arbor hired the city's first full-time professional fireman. In 1915, the city's fire fighting equipment was motorized. By then, Ann Arbor had electric trolleys, four banks, interurban railroad connections with the rest of urban southeast Michigan, "everything that goes to make a city habitable, comfortable, convenient, and attractive."



Washtenaw

Ann Arbor Central Fire Station

Michigan

RECEIPT PROPERTY STATE REGISTER NUMBER

DATE OF RECEIPT 6/24/71 YES \_\_\_\_\_ NO \_\_\_\_\_ NUMBER \_\_\_\_\_ REGISTER NUMBER **JAN 13 1972**

DATA PAGE \_\_\_\_\_ ✓ \_\_\_\_\_

PHOTO (S) \_\_\_\_\_ ✓ \_\_\_\_\_ 1 \_\_\_\_\_

PHOTO DESCRIP (S) \_\_\_\_\_ ✓ \_\_\_\_\_

MAP (S) \_\_\_\_\_ ✓ \_\_\_\_\_ 1 \_\_\_\_\_

MAP DESCRIPTION (S) \_\_\_\_\_ ✓ \_\_\_\_\_

LOGGED \_\_\_\_\_

ACKNOWLEDGE 6/25/71

RESUBMIT \_\_\_\_\_

3/13/72

① 42° 16' 54" 22      ② National Significance ?  
 ③ No architectural significance ?

OK Muller 8-11/71

REVIEW

HISTORIAN *Alroy*

ARCHEOLOGIST *Am surprised they didn't include architecture.* *OK* *Marvin 8/13/71*

ARCHITECT *They do a good job of assessing the role the firehouse played in the growing city.* *OK* *Chambers 9-14-71*

ASST. KEEPER *Approved, with exception of "national significance"* *OK* *Muller 12-8-71*

KEEPER *OK* *Wm 12/9/71*

ENTRY


CHIEF, OAHP *EAR* *1-13-72*

EDITORIAL PROCESSING, EDITOR *I guess this is ok. Is it the oldest firehouse in Ann Arbor?* *OK* *CD 9/3/71*

Federal Register Entry 2/72 Date

Annual Edition Entry \_\_\_\_\_

Logged 1/13/72  
Card 1/13/72 WORKING NUMBER 6.24.71.9

COMMENTS: 

CONGRESSIONAL DISTRICT: \_\_\_\_\_



NPS Number Jan 13, 1972  
Title: Ann Arbor Fire Station

Loc. Washtenaw County, Mich  
Front (south) facade from  
Huron Street

UNITED STATES DEPARTMENT OF THE INTERIOR  
NATIONAL PARK SERVICE


NATIONAL REGISTER OF HISTORIC PLACES  
PROPERTY PHOTOGRAPH FORM

(Type all entries - attach to or enclose with photograph)

STATE	Michigan
COUNTY	Washtenaw
FOR NPS USE ONLY	
ENTRY NUMBER	DATE
	JAN 13 1972

SEE INSTRUCTIONS


1. NAME			
COMMON:	Ann Arbor Central Fire Station		
AND/OR HISTORIC:	Firemen's Hall		
2. LOCATION			
STREET AND NUMBER:	Fifth Avenue and Huron Street		
CITY OR TOWN:	Ann Arbor		
STATE:	Michigan	CODE	COUNTY:
		26	Washtenaw
CODE			161.
3. PHOTO REFERENCE			
PHOTO CREDIT:	Ann Arbor Historical Commission		
DATE OF PHOTO:	1971		
NEGATIVE FILED AT:	Michigan Historical Commission, Lansing		
4. IDENTIFICATION			
DESCRIBE VIEW, DIRECTION, ETC.			
Front (south) facade from Huron Street			



PROPERTY OF THE NATIONAL REGISTER

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

ANN ARBOR EAST QUADRANGLE  
MICHIGAN—WASHTENAW CO.  
7.5 MINUTE SERIES (TOPOGRAPHIC)



Mapped, edited, and published by the Geological Survey  
Control by USGS and USC&GS  
Topography by photogrammetric methods from aerial  
photographs taken 1963-64. Field checked 1965  
Polyconic projection. 1927 North American datum  
10,000-foot grid based on Michigan coordinate system, south zone  
1000-meter Universal Transverse Mercator grid ticks,  
zone 17, shown in blue  
Red tint indicates areas in which only landmark buildings are shown  
Fine red dashed lines indicate selected fence and field lines where  
generally visible on aerial photographs. This information is unchecked  
Revisions shown in purple compiled from aerial photographs  
taken 1973. This information not field checked  
Purple tint indicates extension of urban areas

UTM GRID AND 1973 MAGNETIC NORTH  
DECLINATION AT CENTER OF SHEET  
3" 53 MILS  
1.48" 32 MILS

SCALE 1:24,000  
CONTOUR INTERVAL 10 FEET  
DATUM IS MEAN SEA LEVEL

THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS  
FOR SALE BY U.S. GEOLOGICAL SURVEY RESTON, VIRGINIA 22092  
A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST

ROAD CLASSIFICATION  
Heavy-duty ——— Light-duty ———  
Medium-duty ——— Unimproved dirt ———  
U.S. Route □ State Route ○

QUADRANGLE LOCATION  
MICHIGAN

ANN ARBOR EAST, MICH.  
N4215—W8337.5/7.5  
1965  
PHOTOREVISED 1973  
AMS 4268 I SW—SERIES Y682

42° 22' 30" N

83° 45' 1740000E 275 276 277 278 279 280 281 282 283 284 285 286 287 288 289 290 291 292 293 294 295 296 297 298 299 300 301 302 303 304 305 306 307 308 309 310 311 312 313 314 315 316 317 318 319 320 321 322 323 324 325 326 327 328 329 330 331 332 333 334 335 336 337 338 339 340 341 342 343 344 345 346 347 348 349 350 351 352 353 354 355 356 357 358 359 360 361 362 363 364 365 366 367 368 369 370 371 372 373 374 375 376 377 378 379 380 381 382 383 384 385 386 387 388 389 390 391 392 393 394 395 396 397 398 399 400 401 402 403 404 405 406 407 408 409 410 411 412 413 414 415 416 417 418 419 420 421 422 423 424 425 426 427 428 429 430 431 432 433 434 435 436 437 438 439 440 441 442 443 444 445 446 447 448 449 450 451 452 453 454 455 456 457 458 459 460 461 462 463 464 465 466 467 468 469 470 471 472 473 474 475 476 477 478 479 480 481 482 483 484 485 486 487 488 489 490 491 492 493 494 495 496 497 498 499 500 501 502 503 504 505 506 507 508 509 510 511 512 513 514 515 516 517 518 519 520 521 522 523 524 525 526 527 528 529 530 531 532 533 534 535 536 537 538 539 540 541 542 543 544 545 546 547 548 549 550 551 552 553 554 555 556 557 558 559 560 561 562 563 564 565 566 567 568 569 570 571 572 573 574 575 576 577 578 579 580 581 582 583 584 585 586 587 588 589 590 591 592 593 594 595 596 597 598 599 600 601 602 603 604 605 606 607 608 609 610 611 612 613 614 615 616 617 618 619 620 621 622 623 624 625 626 627 628 629 630 631 632 633 634 635 636 637 638 639 640 641 642 643 644 645 646 647 648 649 650 651 652 653 654 655 656 657 658 659 660 661 662 663 664 665 666 667 668 669 670 671 672 673 674 675 676 677 678 679 680 681 682 683 684 685 686 687 688 689 690 691 692 693 694 695 696 697 698 699 700 701 702 703 704 705 706 707 708 709 710 711 712 713 714 715 716 717 718 719 720 721 722 723 724 725 726 727 728 729 730 731 732 733 734 735 736 737 738 739 740 741 742 743 744 745 746 747 748 749 750 751 752 753 754 755 756 757 758 759 760 761 762 763 764 765 766 767 768 769 770 771 772 773 774 775 776 777 778 779 780 781 782 783 784 785 786 787 788 789 790 791 792 793 794 795 796 797 798 799 800 801 802 803 804 805 806 807 808 809 810 811 812 813 814 815 816 817 818 819 820 821 822 823 824 825 826 827 828 829 830 831 832 833 834 835 836 837 838 839 840 841 842 843 844 845 846 847 848 849 850 851 852 853 854 855 856 857 858 859 860 861 862 863 864 865 866 867 868 869 870 871 872 873 874 875 876 877 878 879 880 881 882 883 884 885 886 887 888 889 890 891 892 893 894 895 896 897 898 899 900 901 902 903 904 905 906 907 908 909 910 911 912 913 914 915 916 917 918 919 920 921 922 923 924 925 926 927 928 929 930 931 932 933 934 935 936 937 938 939 940 941 942 943 944 945 946 947 948 949 950 951 952 953 954 955 956 957 958 959 960 961 962 963 964 965 966 967 968 969 970 971 972 973 974 975 976 977 978 979 980 981 982 983 984 985 986 987 988 989 990 991 992 993 994 995 996 997 998 999 1000

Ann Arbor Central Fee Station  
P46011132  
UTM Ref. 4-1479  
17/204530  
4684440

T. 15  
310 000  
FEET


T. 2.5



LAT: 42° 16' 54"  
 CON: 83° 44' 47"

42° 17' 50"  
 83° 42' 30"

Mapped, edited, and published by the Geological Survey  
 Control by USGS and USC&GS  
 Topography by photogrammetric methods from aerial  
 photographs taken 1963-64. Field checked 1965  
 Polyconic projection. 1927 North American datum  
 10,000-foot grid based on Michigan coordinate system, south zone  
 1000-meter Universal Transverse Mercator grid ticks,  
 zone 17, shown in blue  
 Red tint indicates areas in which only landmark buildings are shown  
 Fine red dashed lines indicate selected fence and field lines where  
 generally visible on aerial photographs. This information is unchecked



UTM GRID AND 1965 MAGNETIC NORTH  
 DECLINATION AT CENTER OF SHEET

THIS MAP COMPLIES WITH  
 FOR SALE BY U.S. GEOLOGIC  
 A FOLDER DESCRIBING TOPOGRAPHIC

SOURCE: U.S.G.S., Ann Arbor East, Michigan  
 SCALE: 1:24000  
 DATE: 1965


Form 10-301  
 (July 1969)

UNITED STATES DEPARTMENT OF THE INTERIOR  
 NATIONAL PARK SERVICE

**NATIONAL REGISTER OF HISTORIC PLACES  
 PROPERTY MAP FORM**

(Type all entries - attach to or enclose with map)

STATE Michigan	
COUNTY Washtenaw	
FOR NPS USE ONLY	
ENTRY NUMBER	DATE



SEE INSTRUCTIONS

<b>1. NAME</b>			
COMMON:	Ann Arbor Central Fire Station		
AND/OR HISTORIC:	Firemen's Hall		
<b>2. LOCATION</b>			
STREET AND NUMBER: Huron Street and Fifth Avenue			
CITY OR TOWN: Ann Arbor			
STATE:	CODE	COUNTY:	CODE
Michigan	26	Washtenaw	161
<b>3. MAP REFERENCE</b>			
SOURCE: U.S.G.S. Ann Arbor East, MI			
SCALE: 1:24000			
DATE: 1965			
<b>4. REQUIREMENTS</b>			
TO BE INCLUDED ON ALL MAPS			
<ol style="list-style-type: none"> <li>Property boundaries where required.</li> <li>North arrow.</li> <li>Latitude and longitude reference.</li> </ol>			

PH0017132

STATE OF MICHIGAN



WILLIAM G. MILLIKEN, Governor

DEPARTMENT OF NATURAL RESOURCES

STEVENS T. MASON BUILDING, LANSING, MICHIGAN 48926

RALPH A. MAC MULLAN, Director

June 10, 1971



Dr. William J. Murtagh  
Keeper of the National Register  
Office of Archaeology and Historic Preservation  
National Park Service  
801 19th Street, N.W., Room 618  
Washington, D. C. 20006

Dear Dr. Murtagh:

Enclosed are sixteen (16) sets of nomination forms for the National Register of Historic Sites, as follows:

1. Charlevoix City Park
2. Ingham County Courthouse
3. Ladies' Literary Club (Grand Rapids)
4. Our Saviour's Evangelical Lutheran Church (Manistee)
5. Ann Arbor Firehouse
6. Bradley House (Midland)
7. Clark-Stringham Site (Jackson County)
8. Main Street Building United Church of Ovid
9. C. H. Call House
10. Sidney Smith House (Jackson County)
11. Ponshevaing Point Site (Emmet County)
12. Calumet Theatre
13. St. Cecilia Society Building (Grand Rapids)

Dr. Murtagh


-2-

June 10, 1971

14. Trinity Church (Niles)
15. Indian Dormitory (Mackinac Island)
16. Greensky Hill Mission (Charlevoix County)

These sites have been approved by the Historic Preservation Advisory Council, and are herewith submitted for nomination to the National Register of Historic Sites by Dr. Ralph MacMullan, the State Liaison Officer.

Sincerely,



Norman F. Smith, Chief  
Office of Planning Services  
and  
Chairman, Historic Preservation  
Task Force

NFS:JAB:nfr

Enc.

cc: D. Chaput  
C. Cleland

ENTRIES IN THE NATIONAL REGISTER

STATE MICHIGAN

Date Entered JAN 13 1972

1/13/72 BASIC FILE RETAINED IN HR

MCMeans:nm

Hon. Philip E. Ruyce  
Director, Northeast Region

HR

<u>Name</u>	<u>Location</u>
Nottawa Stone School	Nottawa Township St. Joseph County
Ann Arbor Central Fire Station	Ann Arbor Washtenaw County
Hume House	Muskegon Muskegon County
Main Street Building United Church of Ovid	Ovid Clinton County
Smith (Sidney T.) House	Grass Lake Jackson County
Castle Station/Federal Building	Saginaw Saginaw County
Lowall Library	Lowell Kent County
Daniel Striker House	Hastings Barry County
Old Main	Eancock Houghton County

Also Notified

Hon. Philip A. Hart  
Hon. Robert P. Griffin  
Hon. Edward Hutchinson  
Hon. Marvin L. Esch  
Hon. Guy Vander Jagt  
Hon. Garry Brown  
Hon. Charles E. Chamberlain  
Hon. James Harvey  
Hon. Gerald R. Ford

State Liaison Officer  
Mr. Samuel Milstein  
Acting Deputy Director-Recreation  
Department of Natural Resources  
Mason Building  
Lansing, Michigan 48926